



Table with columns for Condition Reference # (1-49) and rows for various parameters including Wet Bulb, Ambient, Approach, Inlet Water Temperature, Outlet Water Temperature, and Model Category (A through Z).



Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49			
Wet Bulb °C	10	10	10	10	10	13	13	13	13	13	16	16	16	16	16	18	18	18	18	18	21	21	21	21	21	24	24	24	24	24	27	27	27	27	27	27	29	29	29	29	32.2	32.2	32.2	32.2	32.2	35.56	5	5	5	5		
Range °C	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	8	8	6	6	6	6	8	8	6	6	8	8	6	6	6	6	8	8	6	6	6	6	8	8	6	6	8	8	5	5.56	5	5	5	5	
Approach °C	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	6	7	4	6	7	4	6	7	4	6	7	4	6	7	4	6	7	4	7	4	7	6	3.88	5	4	4		
Inlet Water Temperature °C	20	22	23	22	25	23	25	26	25	28	26	28	29	28	31	28	30	31	30	33	31	33	34	33	36	34	36	37	36	39	37	39	40	39	42	39	41	42	41	44	42.2	44.2	45.2	44.2	47.2	32	35.0	37	37			
Outlet Water Temperature °C	14	16	17	14	17	17	19	20	17	20	20	22	23	20	23	22	24	25	22	25	25	27	28	25	28	28	30	31	28	31	31	33	34	31	34	33	35	36	33	36	36.2	38.2	39.2	36.2	39.2	27	29.44	32	32			
Model Capacity (kW)																																																				
XESSISE 1218-10FI	35.8	47.9	54.0	30.7	45.3	39.5	52.8	59.6	33.8	50.1	43.8	58.6	66.1	37.5	55.7	47.0	62.8	70.8	40.3	59.8	62.3	69.9	78.7	45.0	66.6	58.5	77.9	87.5	50.3	74.4	65.4	86.8	97.3	56.4	83.1	70.6	93.3	104.4	61.0	89.4	79.8	104.8	116.8	69.2	100.7	78.0	63.3	84.4	75.0			
XESSISE 1218-10GE	40.8	54.3	61.1	35.1	51.4	45.0	59.8	67.4	38.6	56.8	49.7	66.2	74.5	42.8	63.0	53.3	70.9	79.7	45.9	67.5	59.3	78.7	88.4	51.1	75.1	66.1	87.5	98.1	57.0	83.7	73.8	97.4	108.9	63.8	93.3	79.5	104.5	116.7	68.8	100.3	89.7	117.2	130.3	77.9	112.7	87.6	71.4	94.7	84.4			
XESSISE 1218-10HE	50.8	66.9	74.9	43.9	63.4	55.7	73.4	82.3	48.1	69.8	61.4	80.9	90.7	53.1	77.1	65.7	86.5	96.9	56.8	82.5	72.8	95.7	107.1	63.0	91.5	80.8	106.0	118.4	70.1	101.5	89.9	117.5	130.9	78.3	112.7	96.6	125.8	139.9	84.1	120.9	108.3	140.5	155.6	94.7	135.3	106.1	87.1	114.4	102.4			
XESSISE 1218-10IE	56.5	74.0	82.8	49.0	70.3	61.9	81.2	90.8	53.7	77.3	68.1	89.3	99.9	59.1	85.2	72.7	95.3	106.5	63.1	91.0	80.5	105.3	117.5	69.9	100.7	89.2	116.4	129.7	77.5	111.5	99.0	128.7	143.1	86.3	123.6	106.2	137.7	152.8	92.7	132.4	119.1	153.4	169.6	104.2	147.8	116.5	96.0	125.4	112.4			
XESSISE 1218-11FE	33.7	45.3	51.1	28.8	42.8	37.2	50.0	56.5	31.9	47.4	41.3	55.5	62.7	35.4	52.7	44.4	59.6	67.3	38.0	56.7	49.6	66.5	74.9	42.5	63.3	55.4	74.1	83.4	47.6	70.8	62.1	82.7	92.9	53.5	79.1	67.1	89.1	99.7	57.8	85.3	76.0	100.2	111.8	65.7	96.2	60.1	80.4	71.4				
XESSISE 1218-11FF	37.3	49.9	56.3	32.0	47.2	41.2	55.1	62.1	35.3	52.7	45.6	61.0	68.8	39.1	58.0	48.0	65.5	73.8	42.0	62.3	54.5	72.8	81.9	46.9	69.4	60.9	81.1	91.1	52.4	77.5	68.2	90.4	101.3	58.8	86.5	73.5	97.2	108.6	63.5	93.1	83.1	109.1	121.5	72.0	104.8	81.2	65.9	87.9	78.2			
XESSISE 1218-11GE	42.6	56.6	63.7	36.6	53.7	46.9	62.4	70.2	40.3	59.2	51.9	69.0	77.6	44.6	65.6	55.6	73.9	83.1	47.9	70.4	61.8	82.1	92.1	53.3	78.3	68.9	91.7	102.2	59.5	87.2	78.9	101.4	113.4	66.5	97.1	82.8	108.9	121.5	71.8	104.4	93.4	122.0	135.6	81.2	117.3	91.3	74.5	68.7	87.9			
XESSISE 1218-11HE	53.0	69.7	78.1	45.8	66.1	58.1	76.5	85.7	50.2	72.8	64.0	84.3	94.4	55.4	80.3	68.4	90.1	100.8	59.2	85.9	75.8	99.6	111.4	65.7	95.2	84.2	110.3	123.1	73.0	105.6	93.6	122.2	136.1	81.4	117.2	100.5	130.9	145.4	87.5	125.7	112.9	146.0	161.7	98.6	140.6	110.4	90.7	119.0	106.5			
XESSISE 1218-11IE	59.0	77.2	86.3	51.1	73.3	64.6	84.6	94.6	56.0	80.5	71.0	93.0	104.0	61.6	88.7	75.8	99.3	110.9	65.8	94.8	83.8	109.6	122.3	72.8	104.8	92.9	121.1	134.9	80.8	116.1	103.1	133.9	148.8	89.9	128.6	110.6	143.2	158.8	96.5	137.7	123.9	159.5	176.3	108.5	153.7	121.2	100.0	130.5	117.0			
XESSISE 1218-12FE	38.6	46.4	52.4	29.6	43.9	38.2	51.0	58.0	32.7	48.6	42.4	56.9	64.3	38.4	54.1	45.5	61.1	69.0	39.0	58.1	50.8	68.1	76.8	43.6	64.9	56.8	76.0	85.5	48.8	72.5	63.7	84.8	96.2	54.8	81.1	68.8	93.1	102.3	69.4	77.9	102.7	114.6	67.4	98.6	65.1	61.8	64.5	74.2				
XESSISE 1218-12FF	38.6	51.6	58.2	33.1	48.8	42.6	57.0	64.3	36.5	54.0	47.2	63.1	71.2	40.5	60.0	50.6	67.7	76.3	43.5	64.4	56.4	75.3	84.8	48.5	71.8	63.0	83.9	94.2	54.2	80.1	70.5	93.5	104.7	60.8	89.5	76.1	100.5	112.4	65.7	96.3	86.0	112.8	125.7	74.5	108.4	94.0	68.2	90.9	80.8			
XESSISE 1218-12GE	44.2	58.7	66.0	38.0	55.6	48.6	64.6	72.7	41.8	61.4	53.7	71.5	80.4	46.2	68.0	57.6	76.5	86.0	49.6	72.9	64.0	85.0	95.4	55.2	81.1	71.3	94.4	105.8	61.6	90.3	79.6	105.0	117.3	68.9	100.6	85.8	112.7	125.7	74.3	108.1	96.7	126.2	140.3	84.1	121.4	94.5	77.1	102.1	91.1			
XESSISE 1218-12HE	54.9	72.2	80.9	47.5	68.5	60.2	79.2	88.8	52.1	75.4	66.3	87.3	97.8	57.4	83.2	70.9	93.3	104.4	61.4	89.0	78.5	103.1	115.3	68.1	98.6	87.1	114.2	127.4	75.6	109.3	96.9	126.5	140.8	84.3	121.3	104.1	135.4	150.4	90.6	130.1	116.9	151.0	167.3	102.1	145.5	114.3	93.9	123.2	110.3			
XESSISE 1218-12IE	61.2	80.0	89.4	53.1	76.0	67.0	87.7	98.0	58.1	83.5	73.6	96.4	107.7	63.9	92.0	78.6	102.9	114.3	68.3	98.2	86.9	113.5	126.6	75.5	108.6	96.2	125.4	139.6	83.8	120.2	106.8	138.6	154.0	93.1	133.1	114.5	148.2	164.4	100.0	142.5	128.3	165.0	182.3	122.4	159.0	135.5	103.6	125.1	121.2			