



# TVFC\_EC8023-D810\_EC8A23-

**S810**  
Adiabatic cooling

## Engineering data

**REMARK:** Do not use for construction. Refer to factory certified dimensions & weights. This page includes data current at time of publication, which should be reconfirmed at the time of purchase. In the interest of product improvement, specifications, weights and dimensions are subject to change without notice.

**Last update:** 01/08/2024

**TVFC\_EC8023-D810\_EC8A23-S810**



1. Fluid outlet connection; 2. Fluid inlet connection; 3. Pre-cooler city water connection; 4. Pre-cooler water drain; 5. Electrical power panel; 6. Control panel.



Model	Nr. of Fans	Weights (kg)			Dimensions (mm)			Air Flow (m³/s)	Tube Internal Volume (dm³)	Surface (m²)	Connections
		Oper. Weight (kg)	Ship. Weight(kg)	Heaviest Section (kg)	L	W	H				
TVFC EC802 3-D810	6	2719	2218	2218	4297	2382	2490	37.2	338.0	1662.0	2
TVFC EC802 3-D810	6	2719	2218	2218	4297	2382	2490	37.2	338.0	1662.0	2
TVFC EC802 3-H810	6	2719	2218	2218	4297	2382	2490	37.2	338.0	1662.0	2
TVFC EC802 3-H810	6	2719	2218	2218	4297	2382	2490	37.2	338.0	1662.0	2
TVFC EC802 3-L810	6	2719	2218	2218	4297	2382	2490	37.2	338.0	1662.0	2
TVFC EC802 3-L810	6	2719	2218	2218	4297	2382	2490	37.2	338.0	1662.0	2
TVFC EC802 3-M810	6	2719	2218	2218	4297	2382	2490	37.2	338.0	1662.0	2
TVFC EC802 3-M810	6	2719	2218	2218	4297	2382	2490	37.2	338.0	1662.0	2
TVFC EC802 3-Q810	6	2719	2218	2218	4297	2382	2490	37.2	338.0	1662.0	2
TVFC EC802 3-Q810	6	2719	2218	2218	4297	2382	2490	37.2	338.0	1662.0	2
TVFC EC802 3-S810	6	2719	2218	2218	4297	2382	2490	37.2	338.0	1662.0	2
TVFC EC802 3-S810	6	2719	2218	2218	4297	2382	2490	37.2	338.0	1662.0	2
TVFC EC8A2 3-D810	6	2719	2218	2218	4297	2382	2490	33.5	338.0	1662.0	2
TVFC EC8A2 3-D810	6	2719	2218	2218	4297	2382	2490	33.5	338.0	1662.0	2
TVFC EC8A2 3-H810	6	2719	2218	2218	4297	2382	2490	33.5	338.0	1662.0	2
TVFC EC8A2 3-H810	6	2719	2218	2218	4297	2382	2490	33.5	338.0	1662.0	2
TVFC EC8A2 3-L810	6	2719	2218	2218	4297	2382	2490	33.5	338.0	1662.0	2
TVFC EC8A2 3-L810	6	2719	2218	2218	4297	2382	2490	33.5	338.0	1662.0	2
TVFC	6	2719	2218	2218	4297	2382	2490	33.5	338.0	1662.0	2



EC8A2 3-M810											
TVFC EC8A2 3-M810	6	2719	2218	2218	4297	2382	2490	33.5	338.0	1662.0	2
TVFC EC8A2 3-Q810	6	2719	2218	2218	4297	2382	2490	33.5	338.0	1662.0	2
TVFC EC8A2 3-Q810	6	2719	2218	2218	4297	2382	2490	33.5	338.0	1662.0	2
TVFC EC8A2 3-S810	6	2719	2218	2218	4297	2382	2490	33.5	338.0	1662.0	2
TVFC EC8A2 3-S810	6	2719	2218	2218	4297	2382	2490	33.5	338.0	1662.0	2